



Wasatch County

ENGINEERING DEPARTMENT

25 North Main Heber City, Utah 84032

Phone: (435)657-3180 Fax: (435)657-0283

<http://www.wasatch.utah.gov/Engineering>

PROJECT FINAL INSPECTION INSTRUCTIONS

Required improvements as referenced under County Code:

[16.27.20: COMPLETION OF SITE IMPROVEMENTS BEFORE BUILDING PERMITS.](#)

Schedule a Final Inspection with all Attendees, at least one week in advance. Final clearance will be granted once the project has been completed as shown on the approved plans, all final inspection punch list items have been completed and verified, and as-built plans with all changes identified have been stamped and submitted in PDF format.

Items to be Completed:

1. All items as shown on the plans and specifications.
2. All street lights and/or fire hydrant illuminations in place, inspected and approved by the building department, with electrical power activated.
3. All finish grading inside the County right-of-way, including around sidewalks, in the park strip, behind back of curb, and around manholes, meter boxes and junction boxes.
4. All storm-drain inlet boxes have been cleaned out.
5. All signs and pavement markings are in place.
6. All landscaping items (unless a separate landscape bond is in place)
7. All dry utilities in place, including gas, electric and communications.
8. All materials testing reports submitted, including soil densities and concrete cylinder breaks.
9. A stamped set of As-Built plans submitted and approved by the County Engineer.

On Site Inspection Attendees:

10. Owner or Representative
11. Design Engineer (Responsible for submitting list of attendees, punch list and as-built drawings)
12. General Contractor
13. Special Service District Inspector (The district(s) whose facilities are included in the project)
14. County Engineer or Representative

ALL WORK MUST BE COMPLETED AS PER WASATCH COUNTY CODE and APWA UTAH